

Dubbo Regional Theatre and Convention Centre Macquarie Auditorium

(750 seat Flat floor Auditorium with Stage)

Technical Specifications

Updated: 27th April 2018

Technical & Production Coordinator: David Brown

Phone number: 02 6801 4372
Fax number: 02 6801 4399
Mobile: 0418 270 500
Email: david.brown@dubbo.nsw.gov.au

Venue Technician:

Phone number: 02 6801 4376
Phone number: 0417 974 079
Email address: nathan.exelby@dubbo.nsw.gov.au

Venue:

Phone number: 02 6801 4378 (Box Office)
Website: www.drctcc.com.au
Venue address: 155 Darling St, Dubbo NSW 2830
Postal address: PO Box 81, Dubbo, NSW 2830



Macquarie Auditorium:

21.5m wide x 27.8m long (to front edge of raised stage) = 600m²

Seating capacity	750
Seating capacity at round tables	540
Seating capacity at rectangular tables	550

There is a retracting wall that divides the floor area of the Auditorium into halves.

Half Auditorium

Seating capacity 1 aisle	320
Seating capacity 2 aisles	280
Seating capacity at tables	180

Oxley Room area 10.5m x 12m = 125m²

Tables

- 66 x grey tables (1980mm x 760mm). Height from floor: 730 mm.
- 55 x Round tables (1800mm diameter)
- 30 x (tan) laminated timber tables (1800 x 750)
- 30 x (white) laminated timber tables (1800 x 750) on trollies
- 10 x Blue tables (1800 x 740)
- 5 x Brown tables (2080 x 740)

Orchestra Lift / Pit:

Orchestra Pit ('Raised Stage')

Electric screw-jack operated orchestra lift

Stage level at	1.1 metres above auditorium.
Lift can be set at any height	YES

Lighting:

Lighting desk LSC Mantra Lite 24
Control channels 512
Signal output DMX 512

House Lights:

Control Crestron system.
Control positions Prompt corner, Mid-hall, Rear of hall
Fade time adjustable NO

Stage Luminaries:

Profiles

Make	Model	Angle	Detail / Accessories	Watt	Total
ETC	Source 4	36°		650	6

LED Fresnel/PC

Make	Model	Angle	Detail / Accessories	Watt	Total
Elation	Fuze Par Z175	8° - 35°	Barn Doors	175	9
Make	Model	Angle	Detail / Accessories	Watt	Total
Elation	Fuze Wash Z120	7° - 55°	Moving Wash	120	4

Power

3 Phase Outlets
Prompt corner 4 x 32A Wilco outlet
Rear auditorium 2 x 32A Wilco outlet

AUDIO

Control & Amplification

Mixer Yamaha LS9-16

Speakers

FOH Speakers Centre 2 x Meyer UPQ2P
 Sides 1 x UPJ1P per side
 Delay Rear 3 x UPM1P

Side fill 2 x JBL Control 28T60 - 1 per side mounted on proscenium

Dressing Rooms

Dressing Room	Capacity	Toilets	Shower	Other
1 Stage level	3	1	1	Air conditioner
2 Stage level	12	1	1	Air conditioner
3 (upstairs)	4	1	1	Air conditioner
4 (upstairs)	6	1	1	Air conditioner
5 (upstairs)	9	1	1	Air conditioner

Stage Door:

Access

Stage Door is located beside the loading dock on Carrington Ave.
 Access during bump-in / out will be controlled by the duty technician.

ADDITIONAL FACILITIES & INFORMATION

Orchestral

Yamaha 9' Grand piano

Loading Dock Access

Vehicle access to dock from Carrington Ave

Loading Dock Height 1.5 metres

Door Dimensions 5 metres High

4 metres Wide