

# Dubbo Regional Theatre and Convention Centre Macquarie Auditorium

(750 seat Flat floor Auditorium with Stage)

## **Technical Specifications**

Updated: March 2026

### **Technical Team Leader:**

Phone number:

Mobile:

Email:

**James Collingridge**

02 6801 4374

0459 658 147

[james.collingridge@dubbo.nsw.gov.au](mailto:james.collingridge@dubbo.nsw.gov.au)

### **Senior Venue Technician:**

Phone number:

Phone number:

Email address:

### **Venue Technician:**

Phone number:

Phone number:

Email address:

**Nathan Exelby**

02 6801 4372

0429 889 546

[nathan.exelby@dubbo.nsw.gov.au](mailto:nathan.exelby@dubbo.nsw.gov.au)

### **Venue:**

Phone number:

Website:

Venue address:

Postal address:

02 6801 4378 (Box Office)

[www.drctc.com.au](http://www.drctc.com.au)

155 Darling St, Dubbo NSW 2830

PO Box 81, Dubbo, NSW 2830



**Macquarie Auditorium:**

21.5m wide x 27.8m long (to front edge of raised stage) = 600m<sup>2</sup>

<b>Seating capacity</b>	750
<b>Seating capacity at round tables</b>	540
<b>Seating capacity at rectangular tables</b>	550

**There is a retracting wall that divides the floor area of the Auditorium into halves.**

**Half Auditorium**

<b>Seating capacity 1 aisle</b>	320
<b>Seating capacity 2 aisles</b>	280
<b>Seating capacity at tables</b>	180

**Oxley Room area** 10.5m x 12m = 125m<sup>2</sup>

**Tables**

- 66 x grey tables (1980mm x 760mm). Height from floor: 730 mm.
- 55 x Round tables (1800mm diameter)
- 30 x (tan) laminated timber tables (1800 x 750)
- 30 x (white) laminated timber tables (1800 x 750) on trollies
- 10 x Blue tables (1800 x 740)
- 5 x Brown tables (2080 x 740)

**Orchestra Lift / Pit:**

**Orchestra Pit ('Raised Stage')**

Electric screw-jack operated orchestra lift

<b>Stage level at</b>	1.1 metres above auditorium.
<b>Lift can be set at any height</b>	YES

**Power**

3 Phase Outlets

<b>Prompt corner</b>	4 x 32A Wilco outlet
<b>Rear auditorium</b>	2 x 32A Wilco outlet

## Stage Dimensions:

### **Proscenium**

Width 10.36m

Height 4.26m

**Standard Performance Area:** 7.8 metres x 10.2 metres

### **Distance From :**

Stage Edge to DS edge of Orchestra Lift/Pit	at centre 3.3 metres
Stage Edge to last upstage fly line	7.8 metres
Stage Edge to rear wall	11.8 metres
Centre Line to OP wall (or obstruction)	10.6 metres DS, 7.9 metres US
Centre Line to PS wall (or obstruction)	10 metres DS, 6.1 metres US
Centre Line to Standard Masking line	5.1 metres

## Lighting:

<b>Lighting desk</b>	ETC Ion Classic with 40 Faders
<b>Control channels</b>	1024
<b>Signal output</b>	DMX 512 / sACN

## House Lights:

<b>Control</b>	Crestron system.
<b>Control positions</b>	Prompt corner, Mid-hall, Rear of hall
<b>Fade time adjustable</b>	NO

## Stage Luminaries:

### **Profiles**

Make	Model	Angle	Detail / Accessories	Watt	Total
Selecon	Acclaim	25° - 55°	FOH Wash	600	<b>6</b>
Selecon	Pacific	23° - 50°	LX1 + LX2 Wash	1000	<b>12</b>
Selecon	Pacific	14° - 35°	LX3 Wash	1000	<b>6</b>


## LED Fresnel

Make	Model	Angle	Detail / Accessories	Watt	Total
Elation	Fuze Par Z175	8° - 35°	RGB Wall Wash	175	<b>6</b>


## Moving Lights

Make	Model	Angle	Detail / Accessories	Watt	Total
Martin	Mac 700 Profile	16° - 30°	Discharge / CMY	700	<b>5</b>
Make	Model	Angle	Detail / Accessories	Watt	Total
Elation	Fuze Wash Z120	7° - 55°	Moving Wash	120	<b>4</b>







<p>123 Channel Universe 321 DMX Address</p>	<p>123 Colour</p>
<p>12 units Selecon Pacific Profile 23°-50° 9 kg</p>	<p>14 Selecon Pacific Profile 14°-35° 9.8kg</p>
<p>6 units Selecon Pacific Profile 24°-44° 5.6kg</p>	<p>6 units Selecon Pacific Profile 24°-44° 5.6kg</p>
<p>5 units Martin Mac 700 Profile 31ch 34.5kg</p>	<p>8 units Elation Fuze Par Z175 14ch 9kg</p>
<p>4 units Elation Fuze Wash Z120 19ch 10kg</p>	



Note: Measurements  
noted in red are not to  
scale. See full auditorium  
plan for scale.





 Fire / Emergency Exit.  
**NO OBSTRUCTION PERMITTED**

0 1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 38 39 40 41

0 1 2 3 4 5 6 7 8 9 10 11 12 11 10 9 8 7 6 4 3 2 1 0 1 2 3 4 5 6 7 8 9 10 11