



Wellington Civic Centre

(750 seat Flat floor Auditorium with Stage)

Technical Specifications

Updated: 28th June 2022

Event Booking Co-ordinator

Phone number: 02 6801 4373 Phone number: 0417 676 284

Email address: tiffany.rowland@dubbo.nsw.gov.au

Functions Officer:Colin RousePhone number:02 6840 6420Phone number:0408 879 257

Email address: colin.rouse@dubbo.nsw.gov.au

Venue:

Phone number: 02 6840 6420 Website: drtcc.com.au

Venue address: 21 Swift St, Wellington NSW 2820 Postal address: PO Box 81, Dubbo, NSW 2830

Auditorium:

18.5m wide x 36.4m long (to front edge of stage) = $720m^2$

Seating capacity	750
Seating capacity at round tables	160
Seating capacity at rectangular tables	400

There is a retracting wall that separates the back third of the hall.

1/3 Auditorium

Seating capacity 1 aisle	220
Seating capacity at tables	120

Tables

57 x rectangular wood tables (1670mm x 685mm)

16 x rectangular wood tables (1800mm x 750mm)

30 x rectangular white tables (1800mm x 750mm)

16 x round white tables (1800mm diameter)

Chairs

550 x Tan plastic chairs 270 x black fabric chairs

Stage Dimensions:

Proscenium

Width 10.7 metres

Height 3.5 metres

Distance From

Stage Edge to Upstage Tabs

7.8 metres
Stage Edge to rear wall

9.3 metres

Centre Line to OP wall (or obstruction)

8.6 metres

Centre Line to PS wall (or obstruction)

7.7 metres

Centre Line to Standard Masking line

5.3 metres

Drapery:

*Туре	Material	Colour	Width	Height	Quantity
House Curtain	Velvet	Red	2x 4.1m	5.7m	1
Borders	Wool	Black	17.5	1.35m	3
Legs (pairs)	Wool, no fullness	Black	3.4m	4.95m	3
Tabs (traveller)	Wool	1x Black 1x Blue	2 x 8.0m	4.9m	2

<u>Lighting:</u>

Lighting deskLSC Mantra Lite 24

Control channels 512

Signal output DMX 512

Dimmers:

Total Dimmers 12

Dimmers located in cupboard on PS of Stage.

Dimmer rack has outlets on front.

2.4kw (10a) Dimmer Racks JANDS HP12WMTR

Total dimmers @ 2.4kw per dimmer 12

House Lights:

Control Switches on wall

Control positions Prompt Corner

Fade time adjustable NO

Stage Luminaries:

LED Fresnel/PC

Make	Model	Angle	Detail / Accessories	Watt	Total
Elation	Fuze Par Z175	80 - 350	Barn Doors	175	5
Make	Model	Angle	Detail / Accessories	Watt	Total
Elation	Fuze Wash Z120	70 - 550	Moving Wash	120	8

https://www.elationlighting.com/fuze-wash-z120

https://www.elationlighting.com/fuze-par-z175

<u>Pow</u>er

40a 3 phase power available on OP of Stage.

AUDIO

Control & Amplification

Mixer

Allan & Heath QU-16

Allan & Heath AB168 Digital Stage Box

Speakers

FOH Speakers 6x QSC K12.2 on walls spread throughout the auditorium

Side fill 2 x – Session passive speakers 1 per side mounted on proscenium

Foldback 2 x QSC K10.2

Dressing Rooms

Dressing Room	Capacity	Toilets	Shower	Other
 Stage level 	6	1	1	Split system air conditioner
2 Stage level	6	1	1	Split system air conditioner

Stage Door:

Access

Stage Door is located beside the loading dock behind the building in Coles' carpark.

ADDITIONAL FACILITIES & INFORMATION

Orchestral

Yamaha 9' Grand piano

Yamaha U1 Upright piano

Loading Dock Access

Vehicle access to dock behind the building in the carpark.

Loading Dock Height 1.45 metres

Door Dimensions 3 metres High

3 metres Wide