

Wellington Civic Centre

(750 seat Flat floor Auditorium with Stage)

Technical Specifications

Front of House Team Leader

Phone number:

Phone number:

Email address:

Scott McTiernan

02 6841 4375

0417 948 201

scott.mctiernan@dubbo.nsw.gov.au

Event Booking Team Leader

Phone number:

Phone number:

Email address:

Karlee Funnell

02 6801 4371

0407 475 543

karlee.funnell@dubbo.nsw.gov.au

Venue:

Phone number:

Website:

Venue address:

Postal address:

02 6840 6420

drtcc.com.au

21 Swift St, Wellington NSW 2820

PO Box 81, Dubbo, NSW 2830

Auditorium:

18.5m wide x 36.4m long (to front edge of stage) = 720m²

Seating capacity	750
Seating capacity at round tables	160
Seating capacity at rectangular tables	400

There is a retracting wall that separates the back third of the hall.

1/3 Auditorium

Seating capacity 1 aisle	220
Seating capacity at tables	120

Tables

57 x rectangular wood tables (1670mm x 685mm)
16 x rectangular wood tables (1800mm x 750mm)
30 x rectangular white tables (1800mm x 750mm)
16 x round white tables (1800mm diameter)

Chairs

550 x Tan plastic chairs
270 x black fabric chairs

Stage Dimensions:**Proscenium**

Width 10.7 metres

Height 3.5 metres

Distance From

Stage Edge to Upstage Tabs 7.8 metres

Stage Edge to rear wall 9.3 metres

Centre Line to OP wall (or obstruction) 8.6 metres

Centre Line to PS wall (or obstruction) 7.7 metres

Centre Line to Standard Masking line 5.3 metres

Drapery:

*Type	Material	Colour	Width	Height	Quantity
House Curtain	Velvet	Red	2x 4.1m	5.7m	1
Borders	Wool	Black	17.5	1.35m	3
Legs (pairs)	Wool, no fullness	Black	3.4m	4.95m	3
Tabs (traveller)	Wool	1x Black 1x Blue	2 x 8.0m	4.9m	2

Lighting:

Lighting desk	LSC Mantra Lite 24
Control channels	512
Signal output	DMX 512

Dimmers:

Total Dimmers **12**
Dimmers located in cupboard on PS of Stage.

Dimmer rack has outlets on front.

2.4kw (10a) Dimmer Racks	JANDS HP12WMTR
Total dimmers @ 2.4kw per dimmer	12

House Lights:

Control	Switches on wall
Control positions	Prompt Corner
Fade time adjustable	NO

Stage Luminaries:**LED Fresnel/PC**

Make	Model	Angle	Detail / Accessories	Watt	Total
Elation	Fuze Par Z175	8° - 35°	Barn Doors	175	5
Make	Model	Angle	Detail / Accessories	Watt	Total
Elation	Fuze Wash Z120	7° - 55°	Moving Wash	120	8

<https://www.elationlighting.com/fuze-wash-z120>

<https://www.elationlighting.com/fuze-par-z175>

Power

40a 3 phase power available on OP of Stage.

AUDIO

Control & Amplification

Mixer

Allan & Heath QU-16

Allan & Heath AB168 Digital Stage Box

Speakers

FOH Speakers 6x QSC K12.2 on walls spread throughout the auditorium

Side fill 2 x – Session passive speakers 1 per side mounted on proscenium

Foldback 2 x QSC K10.2

Dressing Rooms

Dressing Room	Capacity	Toilets	Shower	Other
1 Stage level	6	1	1	Split system air conditioner
2 Stage level	6	1	1	Split system air conditioner

Stage Door:

Access

Stage Door is located beside the loading dock behind the building in Coles' carpark.

ADDITIONAL FACILITIES & INFORMATION

Orchestral

Yamaha 9' Grand piano

Yamaha U1 Upright piano

Loading Dock Access

Vehicle access to dock behind the building in the carpark.

Loading Dock Height 1.45 metres

Door Dimensions 3 metres High

3 metres Wide